



SAFETY DATA SHEET

	SECTION 1: IDENTIFICATION					
Product Name: Modac	rylic Fiber					
Manufacturer: Cellusu	ede Products, Inc.					
Address: 1515 Elmwoo	ed Road, Rockford IL 61103 Telephone: 815-964-8619					
Recommended Use: D	ecorative and functional applications					
	SECTION 2: HAZARD(S) INFORMATION					
This material is not haza Standard (29 CFR 1910.	ardous as defined by the Occupational Safety and Health Administration's Hazard Communication (1200) dated March 26, 2012.					
SARA Hazard Notificat	ion:					
Hazard Categories under	r criteria of SARA Title III rules (40 CFR Part 370): Not Applicable					
	SECTION 3: COMPOSITION/INGREDIENT INFORMATION					
Chemical Name and Sy	nonyms: Modified Acrylic, Modacrylic					
<u>Material</u> Acrylonitrile-Vinyliden	te Chloride Copolymer $\frac{\text{CAS No.}}{9010\text{-}76\text{-}8}$ $\frac{\%}{\geq -99\%}$					
	SECTION 4: FIRST AID MEASURES					
EYE CONTACT:	Treat as nuisance dust hazard. Flush eyes with water for 15 minutes. If irritation persists, obtain medical attention.					
SKIN CONTACT:	Treat as nuisance dust hazard. Flush contaminated skin with soap and water. If irritation persists, obtain medical attention.					
INHALATION:	Remove to fresh air. Other measures are usually unnecessary. If irritation persists, obtain medical attention.					
INGESTION:	No special precautions necessary.					
	SECTION 5: FIRE FIGHTING MEASURES					

N/A

N/A

FLASH POINT:

AUTOIGNITION TEMPERATURE:

FLAMMABLE LIMITS (% BY VOLUME):

LEL: N/A

UEL: N/A

EXTINGUISHING MEDIA:

Water spray or any Class A extinguishing agent.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Fiber/air mixtures may be explosive within certain concentration limits and sufficiently high ignition energies. Minimize airborne fiber concentrations with aggressive housekeeping procedures and effective ventilation, especially in areas of potential stray fiber movement.

FIRE AND EXPLOSION PREVENTIVE MEASURES:

• Minimize the escape of fiber from process equipment or ventilation systems.

Use dust collection systems and filters.

Provide access to hidden areas to permit regular inspection and cleaning.

Clean fiber residues in all areas at regular intervals.

• Use cleaning methods that minimize airborne fiber, especially if potential ignition sources are present.

• Use appropriate electrical equipment and wiring methods.

• Control static electricity, including proper grounding of equipment.

Control smoking, open flames, and sparks.

Separate heated surfaces and systems from fiber residue.

Firefighters and others who may be exposed to products of combustion should wear full protective equipment including self-contained breathing apparatus. Firefighting equipment should be thoroughly decontaminated after use.

SECTION 6: ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Reclaim for processing if possible.

WASTE DISPOSAL METHOD:

Material is not a "hazardous waste" as defined in 40 CFR 261; therefore, disposal is permitted by landfill or by incineration. Comply with local, state and federal regulations.

SECTION 7: HANDLING AND STORAGE

Avoid extreme conditions of heat and humidity. Avoid dust accumulation. Store boxes and bales in accordance with good materials handling practices.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE PROTECTION:

None normally required. However, good safety and industrial hygiene

practices should be followed.

SKIN PROTECTION:

None normally required. However, good safety and industrial hygiene

practices should be followed.

RESPIRATORY PROTECTION:

Avoid breathing dust. Use NIOSH/MSHA approved equipment when airborne exposure is excessive. Respiratory protection must comply with

29 CFR 1910.134.

VENTILATION:

Local and general exhaust ventilation should be used as needed to

prevent irritation and avoid dust accumulation.

OTHER PROTECTIVE EQUIPMENT:

Eye wash station and safety shower should be near work area.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT:

N/A

SPECIFIC GRAVITY (H20=1):

1.32 @, 20/20°C

VAPOR PRESSURE:

N/A

DECOMPOSITION POINT:

205°C/401°F

HEAT SHRINKAGE	E @ 200°C:	<10%	DECOMPOSIT	TON POINT:	150°C/302°F, 2	20 min.			
SOLUBILITY:	DLUBILITY: Partially soluble in dimethyl formamide, dimethyl acetamide, aqueous zinc chloride, ethylene carbonate, conc. nitric acid.								
Stable to fungal or bacterial attack.									
SECTION 10: STABILITY AND REACTIVITY									
STABILITY: Unstable:	Stable	e:X							
CONDITIONS TO A	VOID: Avoid	l packing or st	orage at temperatur	res above 80°C (1°	76°F)				
HAZARDOUS DECC Combustion products hydrocarbons, fragmentalides and antimony	may include onts of original	carbon monox	ide, hydrogen chlor	ride, hydrogen bro lrogen cyanide, an	mide, ammonia, ur timony trioxide, an	ndefined timony			
HAZARDOUS POLY	YMERIZATIC Will r	N: not occur:	X						
SECTION 11: TOXICOLOGICAL INFORMATION									
SIGNS AND SYMPT	OMS OF EXP	OSURE:							
No significant health rritation effects from o	effects have l dust exposure a	peen reported are possible at	in the processing ambient temperatur	and use of acrylic	fibers and yarns.	Mechanica			
RIMARY ROUTES	OF EXPOSUE	RE:		EXPOSURE	<u>ELIMITS</u> :				
Modacrylic Fiber		OGI	A DET	15 / //	1 (1)				

OSHA PEL:

15 mg/m₃ (Total) TWA

Skin contact

(Nuisance dust)

5 mg/m₃ (Respirable)TWA

TWA Inhalation

ACGIH TLV (1986-7):

10 mg/m₃ (Total) TWA

(Nuisance dust)

5 mg/m₃ (Respirable)TWA

Oral - Rat LD₅₀: >7,940 mg/kg, Practically Nontoxic Dermal - Rabbit LD₅₀: >5,010 mg/kg, Practically Nontoxic

Eye Irritation - Rabbit: (FHSA) 12.0 on a scale of 110.0, Sl. Irritating Skin Irritation - Rabbit: (FHSA) 0.0 on a scale of 8.0, Nonirritating

On the basis of human patch tests, it has been concluded that this product is not a primary or cumulative skin irritant, or a sensitizing agent.

SECTION 12: ECOLOGICAL INFORMATION

This fiber is not biodegradable.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD:

Material is not a "hazardous waste" as defined in 40 CFR 261; therefore, disposal is permitted by landfill or by incineration. Comply with local, state and federal regulations.

DOT Label: N/A DOT Hazard Class/ID No.: N/A U.S. Surface Freight Classification: Fiber, Synthetic Staple TRANSPORTATION: DOT Not Regulated IMDG Not Regulated IATA Not Regulated SECTION 15: REGULATORY INFORMATION

TSCA Status:

All components of this product are listed on the TSCA Inventory.

SARA Title III Sections 311, 312, 313:

Reactive Hazard:

No

Pressure Hazard:

No

Fire Hazard:

No

Acute/Immediate: Chronic/Delayed:

No No

This product does not contain any toxic chemicals listed under Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986.

CERCLA Reportable Quantity:

Not Applicable

This product is not a Hazardous Chemical as regulated under OSHA Hazard Communication Standard 29 CFR 1910.1200.

This product is not regulated in accordance with EC-directives or respective national laws.

Canadian WHMIS Classification:

Not Regulated

SECTION 16: OTHER INFORMATION

Previous Revision: <u>SEP 2014</u> Current Revision: <u>SEP 2017</u>

If you have any questions regarding the information contained in this MSDS, please call 815-964-8619.

This information relates to the particular product described and is the best available data possessed by Cellusuede Products on the subject. This data may not be relevant to any end use product which combines other substances with this product. It is the User's responsibility to determine the accuracy and completeness of this information in the context of its own business purpose.

CELLUSUEDE PRODUCTS MAKES NO REPRESENTATIONS OR WARRANTIES AS TO THE ACCURACY OR COMPLETENESS OF THIS INFORMATION, AND CELLUSUEDE PRODUCTS ASSUMES NO RESPONSIBILITY WHATSOEVER IN CONNECTION WITH THE USE OF SUCH INFORMATION BY THE USER.